


Information: The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited.

This technical sheet remains subject to possible changes. **All dimensions are in mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

TECH SHEET
20150714



HOPPER TABLE

{extremis}
tools for togetherness



Versions & options:

*Hopper Table 180 | Hopper Table 240 |
Hopper Table 300 | Hopper Table 360 | back rests | floor fastening*




BOX 1: BENCHES



BOX 2: TABLETOP




BOX 3: LEGS




Dimensions (mm)	L	W	H	l_1	l_2	w_1	w_2	h_1
Hopper 180	1780	1628	740	995	382	832	278	440
Hopper 240	2380	1628	740	1595	382	832	278	440
Hopper 300	2980	1628	740	2195	382	832	278	440
Hopper 360	3580	1628	740	2795	382	832	278	440

Box dimensions (mm)		L	W	H	Qty (#)	Volume (m ³)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Hopper 180 galvanised	Box 1	1200	330	270	1	0,11	30,63	26,60	4,03
	Box 2	1820	860	150	1	0,23	55,90	48,10	7,80
	Box 3	1136	646	635	1	0,47	111,84	100,24	11,60
	total:				0,81		198,37	174,94	23,43
Hopper 180 aluminium	Box 1	1200	330	270	1	0,11	30,63	26,60	4,03
	Box 2	1820	860	150	1	0,23	55,90	48,10	7,80
	Box 3	1136	646	635	1	0,47	51,60	40,00	11,60
	total:				0,81		138,13	114,70	23,43
Hopper 240 galvanised	Box 1	1800	330	270	1	0,16	45,08	41,05	4,03
	Box 2	2420	860	150	1	0,31	70,60	61,28	9,32
	Box 3	1136	646	635	1	0,47	111,84	100,24	11,60
	total:				0,94		227,52	202,57	24,95
Hopper 240 aluminium	Box 1	1800	330	270	1	0,16	45,08	41,05	4,03
	Box 2	2420	860	150	1	0,31	70,60	61,28	9,32
	Box 3	1136	646	635	1	0,47	51,60	40,00	11,60
	total:				0,94		167,28	142,30	24,95
Hopper 300 galvanised	Box 1	2400	330	270	1	0,21	59,54	55,51	4,03
	Box 2	3020	860	150	1	0,39	86,28	76,96	9,32
	Box 3	1136	646	635	1	0,47	111,84	100,24	11,60
	total:				1,07		257,66	232,71	24,95



Box dimensions (mm)		L	W	H	Qty (#)	Volume (m³)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Hopper 300 aluminium	Box 1	2400	330	270	1	0,21	59,54	55,51	4,03
	Box 2	3020	860	150	1	0,39	86,28	76,96	9,32
	Box 3	1136	646	635	1	0,47	51,60	40,00	11,60
					total:	1,07	197,42	172,47	24,95
Hopper 360 galvanised	Box 1	3000	330	270	1	0,27	76,01	69,97	6,04
	Box 2	3620	860	150	1	0,47	99,47	90,15	9,32
	Box 3	1136	646	635	1	0,47	111,84	100,24	11,60
					total:	1,21	287,32	260,36	26,96
Hopper 360 aluminium	Box 1	3000	330	270	1	0,27	76,01	69,97	6,04
	Box 2	3620	860	150	1	0,47	99,47	90,15	9,32
	Box 3	1136	646	635	1	0,47	51,60	40,00	11,60
					total:	1,21	227,08	200,12	269,60

OPTIONAL BACK RESTS



BOX 4: SUPPORTS



BOX 5: SHELVES



Dimensions (mm)	L	W	H
Back rest 180	819	1946	740
Back rest 240	1419	1946	740
Back rest 300	2019	1946	740
Back rest 360	2619	1946	740

Box dimensions (mm)		L	W	H	Qty (#)	Volume (m³)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Back rest for 180 galvanised	Box 4	400	300	270	1	0,032	4,70	4,20	0,50
	Box 5	900	138	60	1	0,007	4,96	3,46	1,50
					total:	0,039	9,66	7,66	2,00
Back rest for 180 aluminium	Box 4	400	300	270	1	0,032	2,66	2,16	0,50
	Box 5	900	138	60	1	0,007	4,96	3,46	1,50
					total:	0,039	7,62	5,62	2,00
Back rest for 240 galvanised	Box 4	400	300	270	1	0,032	4,70	4,20	0,50
	Box 5	1500	138	60	1	0,012	7,78	5,78	2,00
					total:	0,044	12,48	9,98	2,50
Back rest for 240 aluminium	Box 4	400	300	270	1	0,032	2,66	2,16	0,50
	Box 5	1500	138	60	1	0,012	7,78	5,78	2,00
					total:	0,044	10,40	7,94	2,50
Back rest for 300 galvanised	Box 4	400	300	270	1	0,032	4,70	4,20	0,50
	Box 5	2100	138	60	1	0,017	10,59	8,09	2,50
					total:	0,049	15,29	12,29	3,00
Back rest for 300 aluminium	Box 4	400	300	270	1	0,032	2,66	2,16	0,50
	Box 5	2100	138	60	1	0,017	10,59	8,09	2,50
					total:	0,049	13,25	10,25	3,00
Back rest for 360 galvanised	Box 4	400	300	270	1	0,032	4,70	4,20	0,50
	Box 5	2700	138	60	1	0,022	13,40	10,40	3,00
					total:	0,054	18,10	14,60	3,50
Back rest for 360 aluminium	Box 4	400	300	270	1	0,032	2,66	2,16	0,50
	Box 5	2700	138	60	1	0,022	13,40	10,40	3,00
					total:	0,054	16,06	12,56	3,50

LEGS & BACK REST SUPPORTS



Galvanised steel



Earth



White
(ral 9003)



Black brown
(ral 8022)

TABLETOP & BENCHES



Iroko hardwood




H.O.T.wood

FRAME



Galvanised steel



Materials	Key facts	Thickness mm	Layer thickness micron	Density	In/outdoor	Water	UV colour fastness	Flame retarding
Powder coated aluminium legs and back supports	<ul style="list-style-type: none"> a technique of applying dry paint to a part electrostatically charged and sprayed onto the object 	10	50 - 100	2,70 10 ³ kg/m ³	outdoor & indoor	n.a.	very good: colour can fade a little bit when exposed to UV	NEN-EN13501-1 A2-s1 **
Galvanised steel legs & back rest supports	<ul style="list-style-type: none"> most durable method for protecting metal from rusting protective layer very long life span can perfectly be recycled 	8	50 - 100	7,50 10 ³ kg/m ³	outdoor & indoor	n.a.	very good, galvanisation will however become dull when used outdoors	NEN-EN13501-1 A1 *
Iroko tabletop & benches	<ul style="list-style-type: none"> few maintenance feels nice in cold and very hot weather 	30	n.a.	600 à 700 kg/m ³	outdoor & indoor	n.a.	untreated wood turns grey after a while	/
H.O.T.wood tabletop & bench	<ul style="list-style-type: none"> very ecological made from European ash very stable needs few maintenance carries the PEFC™ label for durable forestry feels nice in cold and very hot weather 	30	n.a.	600 kg/m ³	outdoor & indoor	n.a.	untreated wood turns grey after a while	/
								
Galvanised steel frame	<ul style="list-style-type: none"> very rigid galvanised frame ensures stability extremely long lifespan 	2 - 6	50 - 100	7,50 10 ³ kg/m ³	outdoor & indoor	n.a.	very good, galvanisation will however become dull when used outdoors	NEN-EN13501-1 A1 *

* NEN-EN13501-1 A1

Class A1 products will not contribute in any stage of the fire including the fully developed fire. For that reason they are assumed to be capable of satisfying automatically all requirements of all lower classes.

** NEN-EN13501-1 A2-sl

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.




APPLICATIONS

Private: with optional Hopper shade, with optional back rests and with optional flooring for delicate surfaces. **Public:** ideal to place several tables next to each other and create a long row.

IMPORTANT

Do not throw away the packaging material. You need it to attach the legs to the tabletop.

1. Leave the box containing the legs on the pallet.
2. Remove the lid of the box.
3. Take the legs out of the box.
4. Put the lid back on the box.
5. Put the tabletop on top of the box.
6. Assemble the Hopper table.




FLOOR FASTENING

Hopper table is furnished with an optional floor anchoring set: four jugged steel plates to be fixed with bolts.




For an even more rigid anchoring system, Hopper legs can be ordered with holes.



GOOD TO KNOW

1. 'Hopper' stands for 'Hop Picker' because the range is inspired by hops gardens, harvest and beer fests.
2. PEFC[®] certified wood originates from sustainably managed forests.
3. The Hopper legs are cut out of an aluminium sheet nearly without any loss of material.



eco plate mapping



inspired by beer & hops

F.A.Q.

Q: Do you need to oil the wood?

A: When delivered, the wood is untreated. Exposure to sun and rain will gradually change their colour to silvery grey, and also roughen the surface. If you want to somewhat retain their original colour, you should oil them once a year. We recommend using RMC Hybrid Wood Protector. This treatment will also reduce the wood's proneness to splits, cracks, (grease) stain absorption, etc. To clean the wood you can use special products (www.rmc-extremis.com) or simply a stiff bristle brush and some water. Be careful not to irreparably damage the wood fibres. For this reason, never use a high pressure cleaner.

Q: Won't those wide boards curl up after a while?

A: No, first of all Iroko hardwood & H.O.T.wood are very stable types of wood. Secondly, the tabletop is completely supported by a galvanised frame to which each board is attached separately. The wood has no structural function.

MAINTENANCE

Download the manuals from our website for maintenance instructions.



reddot



INTERNATIONAL DESIGN EXCELLENCE AWARDS 11



German Design Award

WINNER



HENRY VAN DE VELDE LABEL



interior innovation award 2011

Winner

GOOD DESIGN



selected by pm

Best of 2011



West-Vlaanderen

Beste innovatie 2011